



PRICE LIST

**M42 BIMETAL
HOLESAW**

**METAL CUTTING
RECIPROCATING SAW**



**TCT
HOLESAW**

**HAND
HACKSAW**

**WOOD CUTTING
RECIPROCATING SAW**

Price list with effective from 25th September 2025

Ref.No.A.E.-002

+91 7038531681

sales@alfaprecision.tech

www.alfaprecision.tech



M42 BIMETAL HOLESAW

Diameter		Price / Piece
Metric	Imperial	
14	9/16"	388
16	5/8"	324
17	11/16"	352
19	3/4"	339
20	25/32"	368
21	13/16"	368
22	7/8"	374
24	15/16"	413
25	1"	413
27	1-1/16"	425
29	1-1/8"	482
30	1-3/16"	487
32	1-1/4"	499
33	1-5/16"	499
35	1-3/8"	538

Diameter		Price / Piece
Metric	Imperial	
37	1-7/16"	549
38	1-1/2"	549
40	1-9/16"	589
41	1-5/8"	607
43	1-11/16"	638
44	1-3/4"	668
46	1-13/16"	674
48	1-7/8"	685
51	2"	703
54	2-1/8"	736
57	2-1/4"	782
59	2-5/16"	881
60	2-3/8"	809
64	2-1/2"	821
65	2-9/16"	845

Diameter		Price / Piece
Diameter	Imperial	
67	2-5/8"	872
68	2-5/8"	915
70	2-5/8"	918
73	2-5/8"	957
76	2-5/8"	975
79	2-5/8"	1019
83	2-5/8"	1093
86	2-5/8"	1135
89	2-5/8"	1166
92	2-5/8"	1227
95	2-5/8"	1286
98	2-5/8"	1348
102	2-5/8"	1400
105	2-5/8"	1535
108	2-5/8"	1564

Diameter		Price / Piece
Diameter	Imperial	
111	4-3/8"	1596
114	4-1/2"	1654
121	4-3/4"	1903
127	5"	1963
133	5-1/4"	2147
140	5-1/2"	2270
146	5-3/4"	2378
152	6"	2464
160	6-19/64"	2551
162	6-3/8"	2675
165	6-1/2"	2875
168	6-5/8"	2973
178	7"	4000
200	7-7/8"	4018
210	8-17/64"	4018

www.alfaprecision.tech

sales@alfaprecision.tech

+91 7038531681

Special Features

- M42 High Speed Steel Cutting Edge
- Heavy duty backing Plate
- Shock resistant teeth
- Less vibration
- Fast Cutting

Application

- Creates hole for Pipes, tubing, Electric Panel, Sheet metal, Door Lock installation
- Steel, Brass, Copper, Cast Iron, Aluminium, wood etc



TCT HOLESAW

Diameter		Body Type	Full length	Effective length	Shank Dia	PC/Box	Price / Piece
Metric	Imperial						
14	9/16"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	243
16	5/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	243
19	3/4"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	285
20	25/32"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	301
22	7/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	333
25	1"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	375
29	1-1/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	433
30	1-3/16"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	449
32	1-1/4"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	481
35	1-3/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	523
38	1-1/2"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	571
40	1-9/16"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	603
42	1-21/32"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	634
44	1-3/4"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	666
45	1-25/32"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	677
48	1-7/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	724
51	2"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	766
54	2-1/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	809
57	2-1/4"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	851
60	2-3/8"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	899
64	2-1/2"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	957
68	2-11/16"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1025
70	2-3/4"	Body Combined	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1052
76	3"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1136
89	3-1/2"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1332
95	3-3/4"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1427
102	4"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	1903
111	4-3/8"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	2093
121	4-3/4"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	2255
127	5"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	2475
140	5-1/2"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	2650
152	6"	Body Separate	84mm & 108mm	12mm & 25mm	10mm / 13mm	1	2823

Special Features

- 3Ply cutting edges which reducing tip crack even with heavy duty application
- 3Ply cutting edges which reducing tip crack even with heavy duty application
- Special tungsten carbide tip provide long edge life and better cutting performance
- Self injecting plug removal

Application

Stainless Steel, MS, Aluminium sheets, Wood etc





WOOD CUTTING RECIPROCATING SAW

Size		TPI	Price / Piece
Metric	Imperial		
150 x 19 x 0.90	6" x 3/4" x 0.035"	6	175
150 x 19 x 1.30	6" x 3/4" x 0.055"	5/7	175
150 x 19 x 1.30	6" x 3/4" x 0.055"	6	175
150 x 19 x 1.30	6" x 3/4" x 0.055"	10	175
225 x 19 x 1.30	9" x 3/4" x 0.055"	6	225
300 x 19 x 1.30	12" x 3/4" x 0.055"	6	300

Special Features

Unique tooth design for fast cutting

Application

Machine Blades for Plywood and wood cutting



METAL CUTTING RECIPROCATING SAW


Size		TPI	Price / Piece
Metric	Imperial		
150 x 25 x 1.10	6" x 1" x 0.042"	10, 14, 18	223
225 x 25 x 1.10	9" x 1" x 0.042"	10, 14, 18	311
300 x 25 x 1.10	12" x 1" x 0.042"	10, 14, 18	390
100 x 19 x 0.90	4" x 3/4" x 0.035"	14, 18, 24	145
150 x 19 x 0.90	6" x 3/4" x 0.035"	10, 14, 18, 24	150
200 x 19 x 0.90	8" x 3/4" x 0.035"	18	187
225 x 19 x 0.90	9" x 3/4" x 0.035"	14, 18	249
300 x 19 x 0.90	12" x 3/4" x 0.035"	18	279

Special Features

Special design for efficient cutting in a wide verity of materials including wood, metal
 Unique tooth design for fast cutting

Application

Medium Gauge Sheet Metal , Angle, Channel, Bolt, Rods, Pipes..





HAND HACKSAW

Size		Grade	TPI	Price / Piece
Metric	Imperial			
250 x 12.5 x 0.90	10" x 1/2" x 0.025"	Bimetal	18, 24, 32	78
250 x 12.5 x 0.90	10" x 1/2" x 0.025"	HSS	18, 24, 32	103
300 x 12.5 x 0.90	12" x 1/2" x 0.025"	Bimetal	18, 24, 32	78
300 x 12.5 x 0.90	12" x 1/2" x 0.025"	HSS	18, 24, 32	103

HSS Hand Hacksaw

Special Features

Heavy duty cutting, Shatter Resistant
Bimetal Hand Hacksaw for heavy duty cutting

Application

Medium Gauge Sheet Metal , Angle, Channel, Bolt, Rods, Pipes..

Bimetal Hand Hacksaw

Special Features

Heavy duty cutting
Excellent Heat Resistant and durable

Application

Harden rods. Angle, Channel, Bolt..

